

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 60 / 710,318

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

 **PALM INTRANET**Day : Tuesday
Date: 5/9/2006
Time: 12:00:48

Inventor Information for 10/710318

Inventor Name	City	State/Country
HALL, BRIAN R.	HUMBLE	TEXAS
HALL, BRIAN R.	HUMBLE	TEXAS
WILLIAMS, JOHN B. JR.	HOUSTON	TEXAS
WILLIAMS, JOHN B. JR.	HOUSTON	TEXAS

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventors](#)Search Another: Application# [Search](#) or Patent# [Search](#)PCT / / [Search](#) or PG PUBS # [Search](#)Attorney Docket # [Search](#)Bar Code # [Search](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060022976 A1	20060202	Z-depth matting of particles in image rendering	345/422		Bredow; Rob et al.
US 20060022975 A1	20060202	Z-jittering of particles in image rendering	345/422		Bredow; Rob et al.
US 20050019949 A1	20050127	Environmental containment methods for a flow cytometer	436/174		Hall, Brian R. et al.
US 20040223135 A1	20041111	Methods of calibrating an imaging system using calibration beads	356/28	356/28.5	Ortyn, William E. et al.
US 20030213709 A1	20031120	Beverage storage and discharge cap assembly	206/219	206/222; 220/258.4	Gibler, Gregory A. et al.
US 20030142289 A1	20030731	Methods of calibrating an imaging system using calibration beads	356/28	356/28.5	Ortyn, William E. et al.
US 20030138967 A1	20030724	Environmental containment system for a flow cytometer	436/174	422/104; 422/73; 422/99; 436/63	Hall, Brian R. et al.
US 20030097538 A1	20030522	Automatic program restructuring to reduce average cache miss penalty	711/201	711/118; 711/220	Hall, Brian C. et al.
US 20030071740 A1	20030417	Air condition sensor housing with integral labyrinth	340/693.6	340/584; 340/628; 340/632	Brundage, Thomas B. et al.
US 20030062761 A1	20030403	Axle extension device	301/35.629		Gorges, Dave J. et al.
US 20030049449 A1	20030313	Nanostructured titania coated titanium	428/404	428/401; 428/402; 428/403	Kim, George E. et al.
US 20020080005 A1	20020627	Fused disconnect switch	337/255		Mollet, Ronald Emil et al.
US 6907509 B2	20050614	Automatic program restructuring to reduce average	711/201	711/118; 711/170; 711/173;	Hall; Brian C. et al.

		cache miss penalty		711/5	
US 6906792 B2	20050614	Methods of calibrating an imaging system using calibration beads	356/28.5	356/28	Ortyn; William E. et al.
US 6881580 B2	20050419	Environmental containment methods for a flow cytometer	436/63	209/3.1; 209/576; 422/101; 422/104; 422/73; 422/99; 435/29; 435/4; 436/174; 436/181	Hall; Brian R. et al.
US 6840373 B2	20050111	Beverage storage and discharge cap assembly	206/219	206/222; 215/DIG.8	Gibler; Gregory A et al.
US 6780377 B2	20040824	Environmental containment system for a flow cytometer	422/73	209/3.1; 209/576; 422/104; 422/99; 435/29; 435/4; 436/174; 436/181; 436/63	Hall; Brian R. et al.
US 6778263 B2	20040817	Methods of calibrating an imaging system using calibration beads	356/28	356/28.5	Ortyn; William E. et al.
US 6685275 B2	20040203	Axle extension device	301/35.629	301/35.621	Gorges; Dave J. et al.
US 6636154 B2	20031021	Air condition sensor housing with integral labyrinth	340/693.6	250/574; 340/628; 340/693.5; 340/693.9	Brundage; Thomas B. et al.
US 6587028 B2	20030701	Fused disconnect switch	337/194	337/186; 337/208; 337/4; 361/104; 361/642	Mollet; Ronald Emil et al.
US 6130373 A	20001010	Tunable suspension string tree	84/312R	84/454; 84/455	Hall; Brian W.

US 6040511 A	20000321	Method of optimizing a guitar tremolo	84/313		Hall; Brian W.
US 5518206 A	19960521	Closure default indicator	244/129.4	292/256.69; 292/DIG.49; 292/DIG.65	Arnold; Michael J. et al.
US 5476161 A	19951219	Self-energizing, self-levelling controllable damper unit for a vehicle suspension	188/266.5	188/269; 188/298; 188/315; 267/64.17	Tang; Jing S. et al.
US 5375923 A	19941227	Drawer front attachment system	312/348.4	312/330.1; 403/2; 403/21; 403/408.1; 403/DIG.12	Hall; Brian L. et al.
US 4892343 A	19900109	Vacuum pencil	294/64.1		Hall; Brian E.
US 4768747 A	19880906	Slide clip	249/63	249/142; 249/145; 249/151; 425/468; 425/577; 425/DIG.5	Williams; John B. et al.
US 4570116 A	19860211	Instrument for measuring electrical resistance or reactance	324/649	324/603; 324/605; 324/676	Tedd; David C. et al.
US 4468039 A	19840828	Packing ring cartridge with adjusting screws	277/520	251/214; 277/511	Le; Tri C. et al.
US 4290581 A	19810922	Seat assembly for ball valves	251/172	251/174; 251/362; 251/368	Moran; George A. et al.
US 4172312 A	19791030	Method of making expandable seal for use between a recuperator tube and recuperator	29/890.034	156/155; 156/165; 156/188; 156/190; 156/194; 165/178	Costick; James A. et al.
US 4130238 A	19781219	Fare box	232/7	109/24.1	Williams; John B.
US 3868484 A	19750225	Power feed arrangement for communication systems	340/425.2	379/22; 379/348	Bolton; Leslie John et al.

US 3523246 A	19700804	METHOD OF AND APPARATUS FOR TESTING A LAMINAR MATERIAL FOR IRREGULARITIES OF THICKNESS [TEXT AVAILABLE IN USOCR DATABASE]	324/671	324/121R; 324/683; 324/688	HALL BRIAN REGINALD et al.
US 3101035 A	19630820	Camera attachment [TEXT AVAILABLE IN USOCR DATABASE]	396/425	352/178; 396/403; D16/243	WILLIAMS JOHN B
US 3024591 A	19620313	Bounce compensator for free piston engines [TEXT AVAILABLE IN USOCR DATABASE]	60/595	123/46R; 417/340	EHRAT ALFRED J et al.
US 2826076 A	19580311	Automatic sampling device [TEXT AVAILABLE IN USOCR DATABASE]	73/64.56	250/328; 422/944; 436/66; 73/863.84	BORETZ JONATHAN E et al.
US 2393546 A	19460122	Nonspillable inkwell [TEXT AVAILABLE IN USOCR DATABASE]	15/257.074		WILLIAMS JOHN B